
## Powerful Performance in all Directions

# PRO-MASTER 7122







## **Feel the Power Unfolding**

Use the Strengths of the 7122















## Dynamics, **Power and Performance**

The powerful efficiency of the PRO-MASTER 7122 CNC machining center is impressive. The PRO-MASTER 7122 can easily handle even difficult machining jobs on solid wood and special materials. A comprehensive package of accessories ensures perfect adaptation to every application.

- Dynamic operation combined with heavy duty, torsionally rigid design guarantee optimum work results.
- User-friendly software as complete package with CAMPUS machine and office license.



- 12-kW power spindle with ceramic bearings can be upgraded to 16 kW for extremely heavy work.
- Optional, fully interpolating C-axis for even higher performance.
- Precision direct drives with exceptionally high dynamic acceleration values for extremely high productivity.

### **Powerful High-End CNC** for Heavy-Duty Machining

#### **■** Workpiece Clamps

Variable system of matched workpiece clamps for straight and curved frame parts (optional, Fig. 1/2/3).

#### **■ Tool Changer**

Innovative shuttle-type tool changer with up to 60 tool locations supplements the selection of traveling disk changers (Fig. 4).

#### Drilling Head

Optional 24 spindle drilling unit and integrated grooving saw for even more efficient completion of all hole patterns (Fig. 5).

#### Lock Case Cutter


High performance horizontal cutting unit for effective machining of door and frame parts (Fig. 6).

#### ■ CAMPUS Package

High quality, user-friendly CNC software with office and machine license. Extensive 3D simulation module as standard feature. Integrated CAD module and versatile macros for easy programming.

#### ■ CabinetControl Base


Furniture design and complete CNC programs finished in minutes with just a few mouse clicks.






Machine	PRO-MASTER 7122		
Edge routing dimensions in X and Y directions	in X = 3,620 / 4,520 / 5,420 mm in Y = 1,400 mm (less cutter radius)		
Travel in Z direction	in Z = 565 mm		
Machining height in Z direction	in Z = 210 mm (from top edge of vacuum cup)		
Cutter unit	12 kW, ceramic bearing, 1,000 - 24,000 rpm		
	10 kW (liquid cooling), 1,000 - 24,000 rpm		
	16 kW (liquid cooling), 1,000 - 24,000 rpm		
Vector speed	132 m/min		
Protection equipment	3-field footmat (pendular machining)		
Workpiece support	6 consoles incl. 8 stops		
	4 charging aids		
Drilling head	3.0 kW, 16 Spindles (10 V   6 H), incl. sawing unit for grooving in X-direction		
	Double drilling spindle in X direction or vertical adapter with double positioning force		
Workpiece clamping	100 m³/h low maintenance dry-running type vacuum pump		
	140 / 250 m³/h low maintenance dry running type vacuum pump		
Tool changer	18-position traveling disk tool changer		
	14-position pick-up tool changer with tool cover		
	40/50/60-position shuttle tool changer		
Software	CAMPUS software package incl. aCADemy CAD/CAM module with machine and office license, 3D simulation module and CabinetControl Base		

## Switch cabinet on left-hand side of machine (Short version)



	Machine dimensions		
PRO-MASTER 7122	A (mm)	Weight (kg)	
315K	6,712	5,800	
405K	7,612	6,100	
495K	8,512	6,400	

## Switch cabinet on right-hand side of machine (Standard version)



	Machine dimensions		
PRO-MASTER 7122	A (mm)	B (mm)	Weight (kg)
315K	7,138	7,720	5,800
405K	8,038	8,685	6,100
495K	8,938	9,510	6,400

Footmat active
Footmat always active

\* Door opened

**EN –** HOLZ-HER 1028 40 BZ – Printed in Germany / Imprimé en Allemagne Printed on: 21.11.2014 – First edition: 20.09.2012

Standard feature
Optional feature

The technical data specified is intended for reference only. HOLZ-HER woodworking machines are subject to constant development and are therefore subject to modification without prior notice. The illustrations are therefore not binding. Some of the machines shown also contain special equipment not included as a standard feature. For clarity, some of the machines are shown without protective hood.

Your authorized HOLZ-HER dealer

